



USE OF RAMAN SPECTROSCOPY IN ENVIRONMENTAL PROTECTION AND MEDICAL ANALYSES

Shahzoda Tillaxujayeva

Chirchik State Pedagogical University

shahzodayoldoshoval3@gmail.com

Sherzodjon Ahmedov

Chirchik State Pedagogical University

sherzodbek.ahmedov8883@gmail.com

Abstract:

Raman spectroscopy is a very powerful tool for material analysis, allowing the study of various material properties. Since its discovery, Raman spectroscopy has been used to investigate a range of material characteristics, such as carbon and inorganic properties, providing valuable information about their phases, functions, and defects. Moreover, techniques like surface-enhanced Raman spectroscopy have expanded the application of Raman analysis to biological and analytical fields. Furthermore, the durability and versatility of Raman equipment present a promising solution for conducting field analysis to study a wide range of materials.

Keywords: Raman spectroscopy, qualitative analysis, material characterization, pharmaceutical analysis, soil and water analysis.

Introduction

ATROF MUHIT MUHOFAZASI VA TIBBIYOT TAHLILLARIDA RAMAN SPEKTROSKOPIYASIDAN FOYDALANISH

Tillaxo'jayeva Shahzoda Doniyor qizi

Chirchiq davlat pedagogika universiteti

shahzodayoldoshoval3@gmail.com

Ahmedov Sherzodjon To'liqin o'g'li

Chirchiq davlat pedagogika universiteti

sherzodbek.ahmedov8883@gmail.com



Annotatsiya:

Raman spektroskopiyasi materiallarni tahlil qilish uchun juda kuchli vosita bo'lib, turli materiallarning xususiyatlarini o'rganishga imkon beradi. Uning kashf etilishidan boshlab, Raman spektroskopiyasi materiallarning bir qator xususiyatlarini, masalan, uglerodli va noorganik xususiyatlarini tadqiq qilishda qo'llanilib kelinmoqda, bu esa ularning fazalari, funksiyalari va nuqsonlari haqida foydali ma'lumotlarni taqdim etadi. Bundan tashqari, yuzani va uchi kuchaytirilgan Raman spektroskopiyasi kabi texnikalar Raman tahlilining qo'llanilishini biologik va analitik sohalarga kengaytirdi. Bundan tashqari, Raman asbob-uskunalarining chidamliligi va ko'p qirraliligi, materiallarning keng spektrini o'rganish uchun maydonda tahlil qilishni amalga oshirish uchun umidli yechimni taqdim etadi.

Kalit so'zlar: Raman spektroskopiyasi, sifatli tahlil, materialni xarakterlash, dori vositalarining tahlili, tuproq va suvni tahlil qilish.

INTRODUCTION

Raman spectroscopy is a non-destructive analytical method used to study the vibrational characteristics of molecules, playing a significant role among optical analysis techniques. In this method, light (typically a laser) is directed onto a material, and the spectrum of the scattered light is analyzed. Raman spectroscopy is widely applied in environmental protection and medical fields due to its high sensitivity, precise analytical capabilities, and applicability to various materials.

Raman spectroscopy is also crucial for environmental monitoring. Its non-destructive nature and ability to analyze both organic and inorganic substances make it an ideal tool for detecting pollutants, monitoring soil and water quality, and assessing the state of ecosystems. Research has shown that Raman spectroscopy can be used to detect heavy metals, pesticides, and other contaminants in different environments, providing rapid and reliable information about environmental conditions.

LITERATURE REVIEW AND METHODOLOGY

Raman spectroscopy holds great importance in environmental monitoring. Its non-invasive nature and ability to analyze both organic and inorganic substances make it an ideal tool for detecting pollutants, monitoring soil and water quality, and



assessing ecosystem health. Studies have demonstrated that Raman spectroscopy can be utilized to detect heavy metals, pesticides, and other contaminants in various environments, offering a fast and reliable means of obtaining information about environmental health.

Detection of Air Pollution: In environmental monitoring, Raman spectroscopy is used to identify gases in the atmosphere, such as carbon dioxide (CO₂), methane (CH₄), nitrogen oxides (NO₂), and other pollutants. This method enables the identification of molecular signatures in gases and liquids and is applied to measure even trace amounts of atmospheric pollution.

Raman spectroscopy can be used to detect toxic substances, heavy metals, and chemical pollutants present in soil and water. This method allows for the rapid and precise identification of environmental contaminants. Moreover, Raman spectroscopy can be applied in studying ecological changes in plant and animal life. For example, it plays a significant role in analyzing the metabolic processes of plants and animal organisms.

Results and discussion

Raman spectroscopy is widely recognized as an alternative tool for cancer detection. This technique is also used for examining paraffin-coated skin biopsies, providing extensive information about the chemical composition of biological samples. The unique Raman signature of each component makes this method effective in developing targeted approaches for cancer treatment. In addition, Raman spectroscopy has been used to differentiate normal and abnormal gastric mucosal tissues. Studies have shown that normal tissues contain a higher concentration of lipids, while abnormal tissues have a higher concentration of proteins, which aids in the differentiation process.

This method has also demonstrated significant results in evaluating kidney tumors, providing complete and accurate data on distinguishing normal renal tissue, low-grade and high-grade kidney tumors, as well as histological subtypes of renal cell carcinoma. Raman spectroscopy instruments have been useful in detecting kidney stones formed due to the reduction of cystine to cysteine. Similarly, calcium oxalate-type kidney stones can be analyzed using Raman techniques. Furthermore,



Raman spectroscopy provides valuable information about the molecular and supramolecular structure of living tissues, including solid tissues.

The Surface-Enhanced Raman Spectroscopy (SERS) method has been found useful in detecting the protective antigen (PA), a key biomarker of anthrax, where a 16-amino acid peptide chain was used instead of an antibody.

Raman spectroscopy is especially effective in the early diagnosis of cancer. It allows for the identification of differences between cancerous and healthy cells, making it particularly valuable in oncology for providing accurate and early-stage diagnostics.

The analysis of metabolism in the organism: Raman spectroscopy enables the examination of metabolic processes in the body and the conduction of tests based on various biomarkers. These processes are particularly useful in determining glucose levels or analyzing lipids and proteins.

The analysis of pharmaceutical substances: Raman spectroscopy is utilized in the pharmaceutical industry to verify the composition and quality of medicinal products. The chemical composition of drugs, as well as their solid and liquid forms, can be analyzed with high precision using Raman spectroscopy. This method provides an excellent solution for studying the structure and interactions of drug molecules by analyzing changes in specific vibrational frequencies. This process helps in understanding drug reactivity, such as hydrogen bonding, proton transfer, charge transfer, and ion-molecule interactions, while also providing better insight into the binding properties of drug molecules in biological environments. Apart from drug analysis, the pharmaceutical industry also requires the analysis of substances containing water, such as surfactants, detergents, and cosmetic products. Raman spectroscopy is an essential tool for this analysis since water is a weak Raman scatterer, which does not significantly affect solvent effects or line broadening phenomena. This also facilitates the measurement of solvents in solutions.

Medical device inspection: Raman spectroscopy is also applied in analyzing the materials used in medical devices, implants, and other technological tools. This method helps detect manufacturing defects and ensures the safety of medical technologies.

One of the biggest advantages of Raman spectroscopy is its non-destructive nature, meaning that the analysis does not cause any damage to the sample. Additionally,



its high accuracy and sensitivity make it widely applicable. However, there are certain limitations to Raman spectroscopy, such as the influence of humidity or illumination, as well as the presence of numerous spectral lines for certain materials.

Conclusion

Raman spectroscopy is a powerful analytical tool that can be widely applied in environmental protection and medical fields. Due to its high accuracy and non-destructive characteristics, this method contributes to the development of new technologies. Furthermore, it can be effectively utilized to enhance all medical and environmental analyses. With the continued advancement of Raman spectroscopy, it is expected to be applied in even broader fields, leading scientific research to a new level.

References:

1. Г.С.Ландсберг “Оптика” М. Физматлит 2003 г. P 524-530
2. Raman C.V. Krishnan K.S. Molecular spectra in extreme inferred. Rotation of molecules induced by light II Nature. 1928. V. 122. P.278, P. 882.
3. Dake Wang, Kathryn Mittauer, and Nicholas Reynolds Raman scattering of carbon disulfide: The temperature effect Am. J. Phys., Vol. 77, No. 12, December 2009 doi: 10.1119/1.3226562
4. Shelton D.P. Long-range orientation correlation in dipolar liquids probed by hyper-Rayleigh scattering Hi. Chem. Phys. 2015. V. 143. P. 134503-1-6
5. Bjarnason J.6., Hudson B.S., Andersen H.C. Quantum theory of line shapes in coherent Raman spectroscopy of gases and liquids //J. Chem. Phys. 1979. V.70. N. 9. P. 4130-4148.
6. Eshchanov B. The role of molecular structure in temperature effects of light scattering in liquids II Journal of Scientific and Engineering Research. 2017. Vol.4. N.12. P.445-449
7. Eshchanov B., Otajonov Sh., Isamatov A. Study of molecular dynamics of condensed states of a substance by spectroscopy //Ukraine Journal of Physics. 2014. V.59. N.3. P.254-256.



8. Nikomanis F., Samios D., Dorfmliller T. Intramolecular and external rotation in liquids: Raman and Rayleigh light scattering experiments on phenyl andpyridyl-compounds II J. Mol. Liq. 1989. V.43. N.1-2. P. 271-291.
9. Бахшиев Н.Г. Спектроскопия межмолекулярных взаимодействий. Ленинград. Наука. 1972. 265 стр. С.4-22.
10. Кирилов С.А. Колебательная спектроскопия в исследовании динамики ионных расплавов. Динамические свойства молекул и конденсированных сред. Ленинград. Наука. 1988. 302 стр. С.190-277.